

in sink erator®



SHOWROOM
COLLECTION



PROOF THAT FORM
CAN BE BOTH BEAUTIFUL AND FUNCTIONAL.



TRANSITIONAL 1010



CHROME STAINLESS STEEL ARCTIC STEEL
MATTE BLACK BRUSHED BRONZE POLISHED NICKEL
OIL-RUBBED BRONZE CLASSIC OIL-RUBBED BRONZE





TRANSITIONAL 1020



CHROME STAINLESS STEEL ARCTIC STEEL
MATTE BLACK BRUSHED BRONZE POLISHED NICKEL
OIL-RUBBED BRONZE CLASSIC OIL-RUBBED BRONZE





TASTEFUL AND PRACTICAL.



TRADITIONAL 2010



CHROME STAINLESS STEEL ARCTIC STEEL
BRUSHED BRONZE POLISHED NICKEL
OIL-RUBBED BRONZE CLASSIC OIL-RUBBED BRONZE






TRADITIONAL 2020



CHROME STAINLESS STEEL ARCTIC STEEL
BRUSHED BRONZE POLISHED NICKEL
OIL-RUBBED BRONZE CLASSIC OIL-RUBBED BRONZE





FOR THOSE WHO APPRECIATE
ELEGANCE AS MUCH AS CONVENIENCE.



MODERN 3010



CHROME STAINLESS STEEL ARCTIC STEEL
MATTE BLACK BRUSHED BRONZE POLISHED NICKEL






MODERN 3020



CHROME STAINLESS STEEL ARCTIC STEEL
MATTE BLACK BRUSHED BRONZE POLISHED NICKEL



FINISHING TOUCHES

DIGITAL INSTANT HOT WATER TANK

Our digital instant hot water tank features an adjustable, digital touch-screen thermostat control, so you can select the precise water temperature between 190°F and 210°F. In addition to helping you enjoy the perfect tasting hot beverage, the tank rapidly dispenses near-boiling water for meal prep and effective household cleaning without harsh chemicals. Paired with an InSinkEerator F-2000 water filter, your instant hot water system delivers better-tasting water by reducing heavy metals, cysts, chemicals, particulates, chlorine taste and odor.



HWT-300


F-2000S



CHROME



STAINLESS STEEL



POLISHED NICKEL



CLASSIC OIL-RUBBED BRONZE



ARCTIC STEEL



OIL-RUBBED BRONZE



BRUSHED BRONZE



MATTE BLACK

SPECIFICATIONS

Water System
Limited Warranty*
Chrome
Polished Nickel
Arctic Steel
Brushed Bronze
Stainless Steel
Classic Oil-Rubbed Bronze
Oil-Rubbed Bronze
Matte Black

TRANSITIONAL 1010		TRANSITIONAL 1020	
Hot	Hot & Cold	Hot	Hot & Cold
5 year			
FH1010C	FHC1010C	FH1020C	FHC1020C
FH1010PN	FHC1010PN	FH1020PN	FHC1020PN
FH1010AS	FHC1010AS	FH1020AS	FHC1020AS
FH1010BB	FHC1010BB	FH1020BB	FHC1020BB
FH1010SS	FHC1010SS	FH1020SS	FHC1020SS
FH1010CRB	FHC1010CRB	FH1020CRB	FHC1020CRB
FH1010ORB	FHC1010ORB	FH1020ORB	FHC1020ORB
FH1010MB	FHC1010MB	FH1020MB	FHC1020MB

TRADITIONAL 2010		TRADITIONAL 2020	
Hot	Hot & Cold	Hot	Hot & Cold
5 year			
FH2010C	FHC2010C	FH2020C	FHC2020C
FH2010PN	FHC2010PN	FH2020PN	FHC2020PN
FH2010AS	FHC2010AS	FH2020AS	FHC2020AS
FH2010BB	FHC2010BB	FH2020BB	FHC2020BB
FH2010SS	FHC2010SS	FH2020SS	FHC2020SS
FH2010CRB	FHC2010CRB	FH2020CRB	FHC2020CRB
FH2010ORB	FHC2010ORB	FH2020ORB	FHC2020ORB
-	-	-	-

MODERN 3010		MODERN 3020	
Hot	Hot & Cold	Hot	Hot & Cold
5 year			
FH3010C	FHC3010C	FH3020C	FHC3020C
FH3010PN	FHC3010PN	FH3020PN	FHC3020PN
FH3010AS	FHC3010AS	FH3020AS	FHC3020AS
FH3010BB	FHC3010BB	FH3020BB	FHC3020BB
FH3010SS	FHC3010SS	FH3020SS	FHC3020SS
-	-	-	-
-	-	-	-
FH3010MB	FHC3010MB	FH3020MB	FHC3020MB



Watts
Limited Warranty*
Certification
F-1000 Filter Kit
Features

HWT-300 Sold Separately

1300w
4 year
UL® & NSF® listed
Sold Separately
<ul style="list-style-type: none">Stainless steel construction for longer lifeEasy to adjust temperatureTool-free tank connections and dry start protectionCompact 2/3 gallon tankCompatible with all InSinkErator dispensersUses standard 115 Volt outlet



F-2000S Sold Separately

Limited Warranty*
Certification
Includes
Features
Reduces
Replacement Cartridge

1 year
NSF® 42 & 53 listed
<ul style="list-style-type: none">Filter head bracket, filter and quick-connect fitting
<ul style="list-style-type: none">Specially designed for InSinkErator dispensersSanitary, quick-change filter cartridgeAutomatic water shut-off during cartridge replacement
<ul style="list-style-type: none">Particulates, Chlorine taste, Odor PLUS: cysts, lead, mercury, asbestos, benzene, atrazine, 2,4-D, Lindane, Carbofuran, and p-Dichlorobenzene
F-2000 (Replace every 3-6 months)

*We Come To You® In-Home Limited Warranty covers parts and labor. The complete InSinkErator warranty is included in the Care & Use booklet with each unit.